

# Multi-Family Entry Door Systems



Where home begins.



# You're in expert hands.



With a complete door system engineered with craftsman precision and backed by more than 60 years of industry experience, you can be confident that it will perform as exceptionally as it looks. Whether it's Classic or Contemporary – or somewhere in between – Therma-Tru offers a selection to complement the architecture of virtually any multi-family residential dwelling, hotel / motel unit entries, and more.

**Builder**  
BRAND LEADER 2021

We're proud to be the leading entry door Brand Used Most\* for more than 20 years, all backed by the industry's most comprehensive full system warranty.

## Why T.M. Cobb?

We can help you make a lasting first impression with an Entry door that will fit your architecture, design preference, and budget! Not to mention we have been doing this for over 85 Years!

### Wide Product Offering

Are you looking for a Bedroom Door, Pantry Door, Dutch Door, Patio Door, French Doors or an Entry Door? TM Cobb has what you are looking for!

### Prompt Delivery and Service

We ensure your doors will be delivered on time, correct, and free of damage with our own fleet of all-weather trucks delivering daily from San Diego to San Francisco and all points in-between!

### A Name You Can Trust

TM Cobb has been servicing our customers since 1935. We have over 85 years of experience and expertise in bringing the perfect door to the California market.

### Quality Finishes

Finish Choice™ is our in-house finish system that creates the look and appeal you want for your entire entryway. We offer 22 paint colors and 10 stain colors that include a 10 year warranty.

## Building stronger partnerships and better entryways.

“Builders rely on us to provide products that will perform. The warranty gives us confidence to offer Therma-Tru doors to our customers. That, and we've never had any problems with Therma-Tru doors. The product quality is consistent.”

**Kevin K., Overhead Inc. in Ohio**  
*More than 25 years using Therma-Tru*

“It's easy to partner with a manufacturer who can stand behind you because you feel you have a sense of comfort. You feel you've done your best job, the manufacturer has done their best job and it makes it easy for the customer to feel safe in their purchase.”

**Daniel B., Barefoot and Company**  
**in North / South Carolina**  
*More than 10 years using Therma-Tru*

“Therma-Tru is unique because they have an entire system that includes the door, the glass, the frame, the sill... everything has been quality tested for performance.”

**Bill D., Woolf Distributing in Illinois**  
*More than 8 years using Therma-Tru*

\*Brand Use Study, 2021 *Builder* magazine.

## Table of Contents

<b>Introduction</b> .....	4-7
Door Selections .....	5
Door System Components .....	6-7
<b>Fire-Rated Doors</b> .....	8-13
20-Minute Fire-Rated Wood-Edge Doors .....	10-13
<b>Elevated Bottom Rail Doors</b> .....	14-33
Classic Craft .....	16-19
Fiber-Classic & Smooth-Star .....	20-32
Pulse .....	33
<b>Noise Reduction Doors</b> .....	34-37
STC Testing Information .....	36-37
<b>Finish Options</b> .....	38-39
PrismaGuard® Stain & Paint .....	38-39
Same-Day® Stain Kit .....	39

# Multi-Family Entry Door Systems

Therma-Tru offers door systems that are ideal for multi-family new construction and remodeling. Our doors deliver the durability, reliability and style you expect from Therma-Tru, with options to meet most national and local building code requirements.\*

Discover an industry-leading selection of Fire-rated doors and Sound Transmission Class- (STC) rated doors, as well as doors with an elevated 10" bottom rail for Americans with Disabilities- (ADA) compliant applications.



# The beauty of choice.

Choose from a variety of surfaces to complement the architectural style of the dwelling.

## Fiberglass Door Selections



### Classic Craft Series



#### Fir Grain




Designed to echo the grain of the largest species of American Hemlocks – the Western Hemlock tree – found in lush coastal rainforests of the Pacific Northwest.



#### Walnut Grain




Crafted to reflect the prized hardwood of the mighty Black Walnut trees, these doors feature a horizontal grain with natural movement accented by delicate arches and cathedrals.



#### Fiber-Classic® Mahogany Collection™



Deep Mahogany grain to complement rich wood tones.



#### Fiber-Classic® Oak Collection™




Natural Oak grain for a warm look and feel.



#### Smooth-Star®



A smooth, ready-to-paint surface with crisp, clean contours.



#### Pulse® Fiberglass



A contemporary series of doors available in Mahogany- and Oak-grained fiberglass, or smooth fiberglass.

## Steel Door Selections



#### Pulse® Steel



A modern series of doors available in a smooth steel surface.



#### Profiles™ Steel



24-gauge steel with smooth surface and triple-shadowed panel embossments.



#### Traditions Steel



25-gauge steel with standard embossed smooth surface. All 8'0" doors are 24-gauge steel.

#### Key



20-Minute Fire-Rated Options



WBDR Options



WBDR / HVHZ Options



STC / Noise Reduction Options



Elevated 10" Bottom Rail Options

\*To confirm code requirements in your jurisdiction, always check with your local building code authority.

Note: Many smooth fiberglass door styles are also available in comparable steel door styles. See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for details on limited warranties and exclusions, and ENERGY STAR qualified products.

Left Page: Smooth-Star Doors – S8200, Finish – Cypress



# Engineered to work together.

Our complete door systems feature doors, glass and components engineered to work together to resist leaks and drafts, and help maintain energy efficiency and weather resistance. With a complete door system engineered with craftsman precision and backed by more than 55 years of industry experience, you can be confident that it will perform as exceptionally as it looks.

- Composite Door Frame
- Sill
- Bottom Sweep
- Corner Seal Pads
- Hinges
- Weatherstrip
- Glass Options
- Finish – Paint or Stain



# Door System Components

Have confidence in a door system made with genuine Therma-Tru® components to meet the needs of many applications. Therma-Tru offers glass and components designed for durability and enhanced security, helping protect what matters most.



## Composite Door Frame

Therma-Tru composite door frame featuring Tru-Guard™ composite technology provides a rot-free solution engineered to work together with rot-resistant Therma-Tru doors and components.

- Delivers extra protection from the damaging effects of outside elements for peace of mind.
- Eliminates the risk of rot and wood-ingesting insects with a durable composite material that is virtually maintenance free.
- Rot-free door frame does not absorb moisture and resists mold, mildew and fungus.
- Mullions are reinforced with a co-extruded LVL core for added structural support and stability, and feature a composite-capped bottom to eliminate the risk of water absorption.
- Available in a ready-to-install white smooth option that includes a pre-inserted weatherstrip option for select sizes. Also available in buff grained options.
- Tested to withstand a minimum of 20-minutes of fire exposure with temperatures that reach more than 1,400 degrees Fahrenheit to meet most national and local code requirements.
- Impact-rated to meet high-wind and coastal region codes and regulations.



## Intumescent Weatherstrip

(For Fire-Rated Applications)

When exposed to fire, the intumescent weatherstrip expands to seal the door and frame, helping prevent fire, smoke and toxic gases from passing through.

- Designed to fit with Therma-Tru Adjusta-Fit 2 frame.



## Adjusta-Fit® 2 Frame

Therma-Tru Adjusta-Fit 2 frame technology helps ensure an optimum fit and long-lasting performance. These frames are ideal for interior and exterior applications, including corridor openings and outside unit entries.

- Constructed with commercial-grade 18-gauge base frame; galvanized steel and factory-coated paint finish; and an all-aluminum, thermally broken threshold.
- 90-Minute positive-pressure Fire-rating, third-party certified by Intertek Warnock-Hersey.
- Standard 4-7/8" ANSI 115.1, or 2-3/4" T-lip strike prep option.
- Choice of standard, public access or no-sill options.
- Minimum 22-gauge closure with 1" of adjustability, suitable for walls from 4" – 9-1/2" deep.



## Public Access Sill with Thermal Break\*

(For ADA Applications)

Meets code requirements for Americans with Disabilities Act- (ADA) compliant applications.

- All-aluminum construction.
- Designed to mate with our ADA bottom sweep to help seal the margin between the door and sill.
- Also available without thermal break.

\*Door systems built with public access sills have little resistance to water penetration and have a potential to leak if installed exposed to weather. We recommend these systems be installed away from weather under large soffits or overhangs.

# Therma-Tru® Fire-Rated Doors


Therma-Tru offers an industry-leading selection of Fire-rated doors certified to carry the Warnock Hersey Mark. From smooth to wood-grained, explore a variety of products that meet most national and local code requirements for multi-family residential and hotel / motel unit entries.\*





# 20-Minute Fire-Rated Fiberglass Doors

- Tested to withstand a minimum of 20-minutes of fire exposure with temperatures that reach more than 1,400 degrees Fahrenheit.
- Features a 20-minute positive pressure rating.
- Certified by Intertek, Warnock Hersey for mortise lock use and features an enhanced lock block to provide proper handleset reinforcement, combined with lock and hinge stiles that increase rigidity and stability.



Now constructed with a polyurethane foam core that reduces overall door slab weight by 45% for easier handling and installation.\*\*

- More durable than steel, and resist dents, scratches and rust, making them ideal for high-traffic, heavy-use environments.
- Features full-length lock side blocking, as well as blocking for panic and closure applications.
- Ideal for hotels, apartments, office buildings and other applications with security locks and card readers.


### Additional Options

- Solid-panel steel wood-edge doors also available with the 20-minute Fire-rated label, starting on page 13.

### For California Projects

Therma-Tru Fiber-Classic and Smooth-Star 20-minute Fire-rated fiberglass doors meet or exceed building codes and regulations specific to the state of California, including:

- ✓ California Wildland Urban Interface (WUI) requirements.
- ✓ California Air Resources Board (CARB) formaldehyde regulations.
- ✓ California State Fire Marshall test CA SFM 12-7A-1.



### For Florida Projects

Therma-Tru Fiber-Classic and Smooth-Star foam core 20-minute Fire-rated fiberglass doors include options to meet building codes and regulations specific to the state of Florida.

- ✓ Approved for structural use in Florida.
- ✓ Approved for Wind-Borne Debris Regions (WBDR).



\*To confirm fire door requirements in your jurisdiction, always check with your local building code authority.  
 \*\*Comparison of 20-minute foam core Fire-rated door to a 20-minute concrete core Fire-rated door with similar style.  
 Note: To see the listing reports of third-party Intertek Warnock Hersey testing, visit [www.thermatru.com/performance](http://www.thermatru.com/performance).  
 Left: Fiber-Classic Mahogany Collection Door – FMF205, Finish – Driftwood

# 20-Minute Fire-Rated Wood Edge – Fiberglass

Fire-Rated Doors – Fiberglass

## 6'8" Doors



Smooth

SSF1100  
 9 E  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Mahogany

FMF31  
 9  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Oak

FCF31  
 9  
 2'8" x 6'8"  
 3'0" x 6'8"



Oak

FCF809  
 9  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Smooth

SSF93  
 9  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Smooth

SSF120  
 9 E  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Mahogany

FMF220  
 9  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Smooth

SSF220  
 9 E  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")



Smooth

SSF200  
 9  
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Mahogany

FMF205  
 9  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Smooth

SSF205  
 9  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Smooth

SSF31  
 9  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Smooth

SSF960  
 9  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Mahogany

FMF755  
 9  
 2'10" x 6'8"  
 3'0" x 6'8"



Oak

FCF755  
 9  
 2'10" x 6'8"  
 3'0" x 6'8"



Smooth

SSF755  
 9  
 2'10" x 6'8"  
 3'0" x 6'8"




Mahogany

FMF134  
 9  
 2'10" x 6'8"  
 3'0" x 6'8"



Smooth

SSF11  
 9  
 2'10" x 6'8"  
 3'0" x 6'8"



Smooth

SSF4800  
 9 E  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Mahogany

FMF600  
 9  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Smooth

SSF600  
 9  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Mahogany

FMF60  
 9  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Oak

FCF160  
 9 E  
 2'6" x 6'8"  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")



Smooth

SSF160  
 9 E  
 2'6" x 6'8"  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")




Mahogany

**FMF100**  
 ■ **9 E** **⚡**  
 2'6" x 6'8"  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8"  
 3'0" x 6'8" (7'0")



Oak

**FCF100**  
 ■ **9 E** **⚡**  
 2'6" x 6'8"  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8"  
 3'0" x 6'8" (7'0")



Smooth

**SSF100**  
 ■ **9 E** **⚡**  
 2'0" x 6'8"  
 2'4" x 6'8"  
 2'6" x 6'8"  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")

7'0" Doors



Smooth

**SSF220**  
**E** **⚡**  
 2'8" x 7'0"  
 2'10" x 7'0"  
 3'0" x 7'0"



Oak

**FCF160**  
**E** **⚡**  
 2'8" x 7'0"  
 2'10" x 7'0"  
 3'0" x 7'0"



Smooth

**SSF160**  
**E** **⚡**  
 2'8" x 7'0"  
 2'10" x 7'0"  
 3'0" x 7'0"




Mahogany

**FMF100**  
 ■ **E** **⚡**  
 2'8" x 7'0"  
 3'0" x 7'0"



Oak

**FCF100**  
 ■ **E** **⚡**  
 2'8" x 7'0"  
 3'0" x 7'0"



Smooth

**SSF100**  
 ■ **E** **⚡**  
 2'8" x 7'0"  
 2'10" x 7'0"  
 3'0" x 7'0"



Key

■ No Stile Lines  
 ⚡ WBDR Options

**E** Elevated 10" Bottom Rail Options  
**⚡** 20-Minute Fire-Rated Options

# 8'0" Doors



Smooth  
SSF81100  
6 E  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Smooth  
SSF8120  
6 E  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Smooth  
SSF8220  
6 E E  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Smooth  
SSF8200  
6 E  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"




Smooth  
SSF8205  
6 E  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"




Oak  
FCF862  
6 E  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Smooth  
SSF831  
6 E  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Smooth  
SSF84800  
6 E  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Smooth  
SSF8600  
6 E  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Mahogany  
FMF860  
6 E  
2'8" x 8'0"  
3'0" x 8'0"



Oak  
FCF8160  
6 E  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"




Smooth  
SSF8160  
6 E  
2'6" x 8'0"  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Mahogany  
FMF8100  
6 E E  
2'6" x 8'0"  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Oak  
FCF8100  
6 E E  
2'6" x 8'0"  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Smooth  
SSF8100  
6 E E  
2'6" x 8'0"  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



## 20-Minute Fire-Rated Wood Edge – Steel

### 6'8" Doors Profiles™




**969HD**  
   
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**978HD**  
   
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**1005HD**  
   
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"






**205HD**  
   
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"






**203HD**  
   
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**210HD**  
   
 2'6" x 6'8" (7'0")  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")



**100**  
    
 2'0" x 6'8"  
 2'4" x 6'8"  
 2'6" x 6'8" (7'0")  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")  
 3'6" x 6'8"

### 7'0" Doors Profiles™



**210HD**  
   
 2'6" x 7'0"  
 2'8" x 7'0"  
 2'10" x 7'0"  
 3'0" x 7'0"




**100**  
   
 2'6" x 7'0"  
 2'8" x 7'0"  
 2'10" x 7'0"  
 3'0" x 7'0"

### 6'8" Doors Traditions



**TS210**  
   
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



**TS100**  
    
 2'0" x 6'8"  
 2'4" x 6'8"  
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

#### Key

 No Stile Lines  
 WBDR / HVHZ Options

 Elevated 10" Bottom Rail Options  
 20-Minute Fire-Rated Options

# Elevated Bottom Rail Doors


Therma-Tru offers a variety of options to meet code requirements for Americans with Disabilities- (ADA) compliant applications. Available in the Classic Craft., Fiber-Classic., Smooth-Star® and Pulse. product lines, these doors offer durable, long-lasting fiberglass skins. Choose from a selection of on-trend door styles to meet the aesthetic needs of the project.



## Elevated 10" Bottom Rails

Doors with an elevated bottom rail are designed to meet ADA requirements and feature a minimum 10" net smooth surface as measured from the bottom of the slab to the beginning of the panel detail. These slabs may also be cut out and paired with an assortment of stylish glass designs to create a wide variety of looks. For ADA compliance, door must be 3'0" wide.

**ADA (Americans with Disabilities Act) and state and local building code accessibility require that swinging door or gate surfaces within 10" (254 mm) of the finish floor or ground measured vertically shall have a smooth surface on the push side extending the full width of the door or gate.**



Elevated 10" Bottom Rail


Standard Bottom Rail



### Public Access Sill with Thermal Break for ADA Applications\*

- All-aluminum construction.
- Ramp slope meets Americans with Disabilities Act- (ADA) requirements.
- Also available without thermal break.

## Privacy & Textured Glass Options



Reeded  
Privacy Rating: 7

Geometric  
Privacy Rating: 7

Satin Etch  
Privacy Rating: 10

Chord  
Privacy Rating: 10

Chinchilla  
Privacy Rating: 10

Rainglass  
Privacy Rating: 8

Granite  
Privacy Rating: 10

Low-E  
Privacy Rating: 0


## Additional Decorative Glass Options

Therma-Tru offers a wide selection of stylish and energy-efficient entry door options that may also meet your 10" bottom rail requirements. Please see your local Therma-Tru Sales Representative for more details.


\*Door systems built with public access sills have little resistance to water penetration and have a potential to leak if installed exposed to weather. We recommend these systems be installed away from weather under large soffits or overhangs.



# ARTÍSSA Collection



**Fir Grain**  
Formerly Classic-Craft  
American Style



**Elevated**  
U1 REV: 10<sup>-2</sup>/<sub>32</sub>"  
Book / Hybrid: 10<sup>-29</sup>/<sub>32</sub>"

**Elevated**  
U1 REV: 10<sup>-2</sup>/<sub>32</sub>"  
Book / Hybrid: 10<sup>-29</sup>/<sub>32</sub>"

### Key

- Flush-Glazed Glass with Square Sticking (FG)
- Low-E Glass (LE)
- Simulated Divided Lites (SDLF3)
- Simulated Divided Lites (SDLF4)
- Simulated Divided Lites (SDLF5)
- Door Divider Bars (DDBF3)
- Door Divider Bars (DDBF4)
- Door Divider Bars (DDBF5)
- Elevated 10" Bottom Rail Options

### Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 15.

- XE** = Satin Etch      **XR** = Rainglass
- XC** = Chord        **XN** = Granite
- XJ** = Chinchilla



\*Formerly Classic-Craft American Style  
Left: Classic Craft Fir Grain, Satin Etch  
Glass with SDLs, Doors – CCA82360,  
Finish – Rustic Clay



# Elevated Bottom Rail Classic Craft® Artíssa Collection™

8'0" Full Glass


Privacy & Textured and Low-E Glass (shown in Chinchilla)

Fir*	Fir*	Fir*	Fir*	Fir*	Fir*	Fir*	Fir*
CCA82350 CCA82350	CCA82360 CCA82360	CCA82370 CCA82370	CCA84900 CCA84900	CCA84910L CCA84910L	CCA84910R CCA84910R	CCA84920L CCA84920L	CCA84920R CCA84920R
3'0" x 8'0"	3'0" x 8'0"	3'0" x 8'0"	3'0" x 8'0"	3'0" x 8'0"	3'0" x 8'0"	3'0" x 8'0"	3'0" x 8'0"

8'0" Solid Panels

Fir*	Fir*	Fir*	Fir*	Fir*	Fir*	Fir*	Fir*
CCA84930 CCA84930	CCA84940 CCA84940	CCA81125	CCA81149	CCA81127	CCA84905	CCA84915L	CCA84915R
3'0" x 8'0"	3'0" x 8'0"	3'0" x 8'0"	3'0" x 8'0"	3'0" x 8'0"	3'0" x 8'0"	3'0" x 8'0"	3'0" x 8'0"

Fir*	Fir*	Fir*	Fir*	Fir*	Fir*	Fir*
CCA84925L	CCA84925R	CCA84935	CCA84945	CCA81166	CCA81158	CCA81147
3'0" x 8'0"	3'0" x 8'0"	3'0" x 8'0"	3'0" x 8'0"	3'0" x 8'0"	3'0" x 8'0"	3'0" x 8'0"




### Fir Grain

Formerly Classic-Craft  
American Style

### Walnut Grain

# VISIONARY Collection




Elevated  
U1 REV: 10<sup>-2</sup>/<sub>52</sub>"  
Book / Hybrid: 10<sup>-29</sup>/<sub>52</sub>"

Elevated  
U1 REV: 10<sup>-2</sup>/<sub>52</sub>"  
Book / Hybrid: 10<sup>-29</sup>/<sub>52</sub>"

### Key

-  Flush-Glazed Glass with Square Sticking (FG)
-  Low-E Glass (LE)
-  Simulated Divided Lites (SDLF3)
-  Simulated Divided Lites (SDLF4)
-  Simulated Divided Lites (SDLF5)
-  Door Divider Bars (DDBF3)
-  Door Divider Bars (DDBF4)
-  Elevated 10" Bottom Rail Options



### Privacy & Textured Glass Options


Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 15.

- XK = Reeded
- XJ = Chinchilla
- XG = Geometric
- XR = Rainglass
- XE = Satin Etch
- XN = Granite
- XC = Chord

\*Formerly Classic-Craft American Style.  
Left: Classic Craft Fir Grain, Satin Etch Glass with SDLs, Doors – CCA82320XE, Finish – Raven, Surround – TDS-CRSFLT

# Elevated Bottom Rail Classic Craft® Visionary Collection™


## 6'8" Solid Panels



Walnut

CCW1000

**E**  
 2'6" x 6'8" (7'0")  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")  
 3'6" x 6'8" (7'0")



Walnut

CCW905

**E**  
 2'6" x 6'8" (7'0")  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")  
 3'6" x 6'8" (7'0")

## 8'0" Full Glass

Privacy & Textured and Low-E Glass (shown in Chinchilla)



Fir\*

CCA82400  
 CCA82400   
**E**  
 3'0" x 8'0"



Fir\*

CCA82300  
 CCA82300   
**E**  
 3'0" x 8'0"



Fir\*

CCA82310  
 CCA82310   
**E**  
 3'0" x 8'0"



Fir\*

CCA82320  
 CCA82320   
**E**  
 3'0" x 8'0"




Fir\*

CCA82330  
 CCA82330   
**E**  
 3'0" x 8'0"



Fir\*

CCA82340  
 CCA82340   
**E**  
 3'0" x 8'0"



Fir\*

CCA82380  
 CCA82380   
**E**  
 3'0" x 8'0"

## 8'0" Solid Panels



Fir\*

CCA81100  
**E**  
 3'0" x 8'0"



Fir\*

CCA81133  
**E**  
 3'0" x 8'0"




Fir\*

CCA81145  
**E**  
 3'0" x 8'0"




Fir\*

CCA81150  
**E**  
 3'0" x 8'0"



Walnut

CCW81000  
**E**  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"  
 3'6" x 8'0"



Walnut

CCW8905  
**E**  
 2'6" x 8'0"  
 2'8" x 8'0"  
 2'10" x 8'0"  
 3'0" x 8'0"  
 3'6" x 8'0"


# Elevated Bottom Rail Fiber-Classic® & Smooth-Star® Doors

Elevated Bottom Rail Doors



6'8" Full Glass

## EnLiten™ Flush-Glazed Privacy & Textured Glass and Clear Glass with Divided Lites



Elevated  
U1 REV: 10-1/8"  
Book / Hybrid:  
10-5/16"

<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>
S1205_* S1205_* 🔥🔥🔥🔥🔥🔥 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S1207_* S1207_* 🔥🔥🔥🔥🔥🔥 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S2010_* S2010_* 🔥🔥🔥🔥🔥🔥 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S2050_* S2050_* 🔥🔥🔥🔥🔥🔥 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S5705_* S5705_* 🔥🔥🔥 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S5715_* S5715_* 🔥🔥🔥 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>	<b>Smooth</b>
S5725_* S5725_* 🔥🔥🔥 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S5700_* S5700_* 🔥🔥🔥 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S5710_* S5710_* 🔥🔥🔥 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S5720_* S5720_* 🔥🔥🔥 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S691_* S691_* 🔥🔥🔥 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S685L_* S685L_* 🔥🔥🔥 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	S685R_* S685R_* 🔥🔥🔥 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

### Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 15.

- XK = Reeded
- XE = Satin Etch
- XJ = Chinchilla
- XN = Granite
- XG = Geometric
- XC = Chord
- XR = Rainglass

\*Privacy & Textured glass options available only for SDL options.

\*\*Privacy & Textured glass options not available.

**EnLiten™ Flush-Glazed Clear Glass with Divided Lites**



Smooth

S1206\*\*  
 🔥 ⚡ ⚡ ⚡ ⚡ E  
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"



Smooth

S1204\*\*  
 🔥 ⚡ ⚡ ⚡ ⚡ E  
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"


**EnLiten™ Flush-Glazed Privacy & Textured Glass and Clear Glass**



Smooth

S2000 \_  
 S2000 \*  
 🔥 E  
 2'0" x 6'8"  
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**EnLiten™ Flush-Glazed Internal Blinds**




Elevated  
 U1 REV: 10-<sup>33</sup>/<sub>64</sub>"  
 Book / Hybrid:  
 10-<sup>23</sup>/<sub>32</sub>"



Smooth

S2600  
 🔥 ⚡ E  
 2'6" x 6'8"  
 2'8" x 6'8"  
 2'10" x 6'8"  
 3'0" x 6'8"

**Privacy & Textured Glass and Clear Glass with Divided Lites**



Elevated  
 U1 REV: 10-<sup>5</sup>/<sub>32</sub>"  
 Book: / Hybrid:  
 10-<sup>1</sup>/<sub>32</sub>"



Oak

FC138 \_  
 FC138 \*  
 🏠 🏠 E  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")



Smooth

S128 \_  
 S128 \*  
 🏠 🏠 E  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")



Oak

FC18 \_  
 FC18 \*  
 🏠 🏠 E  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")



Smooth

S108 \_  
 S108 \*  
 🏠 🏠 E  
 2'8" x 6'8" (7'0")  
 2'10" x 6'8" (7'0")  
 3'0" x 6'8" (7'0")

**Clear Glass with Divided Lites**



Oak

FC1209  
 🔥 ⚡ ⚡ E  
 3'0" x 6'8" (7'0")



Smooth

S1209  
 🔥 ⚡ ⚡ E  
 3'0" x 6'8" (7'0")



Oak

FC1211  
 🔥 ⚡ ⚡ E  
 3'0" x 6'8" (7'0")



Smooth

S1211  
 🔥 ⚡ ⚡ E  
 3'0" x 6'8" (7'0")



Oak

FC1212  
 🔥 ⚡ ⚡ E  
 3'0" x 6'8" (7'0")



Smooth

S1212  
 🔥 ⚡ ⚡ E  
 3'0" x 6'8" (7'0")



Oak

FC1208  
 🔥 ⚡ ⚡ 6E  
 3'0" x 6'8" (7'0")



Smooth

S1208  
 🔥 ⚡ ⚡ 6E  
 3'0" x 6'8" (7'0")

**Key**

- 🔥 Flush-Glazed Glass with Detailed Sticking (FG)
- 🚫 No Stile Lines
- ☀️ Low-E Glass (LE)
- 🐢 Turtle Glass

- 🏠 Simulated Divided Lites (SDLF)
- 🏠 Simulated Divided Lites (SDLF1)
- 🏠 Simulated Divided Lites (SDLF2)
- 🏠 Flat or Contour White Grilles Between Glass (GBGF / GBGC)

- 🏠 Flat or Contour Almond Grilles Between Glass (GBGF / GBGC)
- 🏠 Flat or Contour Bronze Grilles Between Glass (GBGF / GBGC)
- 🏠 Flat or Contour Black Grilles Between Glass (GBGF / GBGC)

- 🏠 NEW Scrolled & Flat Advanta Lite Frame
- 🏠 WBDL / HVHZ Options
- 🏠 Elevated 10" Bottom Rail Options

**Elevated Bottom Rail** Fiber-Classic & Smooth-Star Doors *Continued*

6'8" Full Glass

**Clear** Glass with Divided Lites



Oak  
FC198  
★♦♦♦♦6E  
3'0" x 6'8" (7'0")



Smooth  
S198  
★♦♦♦♦6E  
3'0" x 6'8" (7'0")

**Privacy & Textured** Glass and **Clear** Glass



Oak  
FC10\_—  
FC10\_★  
★♦♦♦♦6E  
3'0" x 6'8" (7'0")




Smooth  
S118\_—  
S118\_★  
★♦♦♦♦6E  
3'0" x 6'8" (7'0")

**Internal Blinds**




Oak  
FC141  
★♦♦♦♦6E  
3'0" x 6'8" (7'0")




Smooth  
S130  
★♦♦♦♦6E  
3'0" x 6'8" (7'0")


6'8" 1/2 Glass



Elevated  
U1 REV: 10-1/2"  
Book / Hybrid:  
10-23/32"



Elevated  
U1 REV: 10-1/2"  
Book / Hybrid:  
10-23/32"



Elevated  
U1 REV: 37"  
Book / Hybrid:  
37-3/16"

**Privacy & Textured** Glass and **Clear** Glass with Divided Lites



Oak  
FC65\_★  
FC65\_★  
★♦♦♦♦6E  
3'0" x 6'8" (7'0")



Smooth  
S262\_★  
S262\_★  
★♦♦♦♦6E  
3'0" x 6'8" (7'0")



Smooth  
S6022\_★  
S6022\_★  
★♦♦♦♦6E  
3'0" x 6'8" (7'0")

**Clear** Glass with Divided Lites



Oak  
FC1408  
★♦♦♦♦6E  
3'0" x 6'8" (7'0")



Smooth  
S1408  
★♦♦♦♦6E  
3'0" x 6'8" (7'0")



Smooth  
S1405  
★♦♦♦♦6E  
3'0" x 6'8" (7'0")

**Privacy & Textured Glass Options**

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 15.

**XK = Reeded**  
Available for select styles.  
**XG = Geometric**  
Available for select styles.

**XE = Satin Etch**  
**XC = Chord**  
**XJ = Chinchilla**

**XR = Rainglass**  
**XN = Granite**

\*Privacy & Textured glass options available only for SDL options.

6'8" 1/2 Glass

Privacy & Textured Glass and Clear Glass



Oak

FC62\_  
FC62 \*  
6E  
3'0" x 6'8" (7'0")



Smooth

S206\_  
S206 \*  
6E  
3'0" x 6'8" (7'0")



Smooth

S6021\_  
S6021 \*  
6E  
3'0" x 6'8" (7'0")




Mahogany

FCM104\_  
FCM670 \*  
6E  
2'6" x 6'8" (7'0")  
2'8" x 6'8" (7'0")  
2'10" x 6'8" (7'0")  
3'0" x 6'8" (7'0")



Oak

FC104\_  
FC670 \*  
6E  
2'6" x 6'8" (7'0")  
2'8" x 6'8" (7'0")  
2'10" x 6'8" (7'0")  
3'0" x 6'8" (7'0")



Smooth

S104\_  
S104 \*  
6E  
2'6" x 6'8" (7'0")  
2'8" x 6'8" (7'0")  
2'10" x 6'8" (7'0")  
3'0" x 6'8" (7'0")

Internal Blinds



Oak

FC678  
6E  
3'0" x 6'8" (7'0")




Smooth

S132  
6E  
3'0" x 6'8" (7'0")



Smooth

S6035  
6E  
3'0" x 6'8" (7'0")




Mahogany

FCM116  
6E  
2'6" x 6'8" (7'0")  
2'8" x 6'8" (7'0")  
2'10" x 6'8" (7'0")  
3'0" x 6'8" (7'0")



Oak

FC116  
6E  
2'6" x 6'8" (7'0")  
2'8" x 6'8" (7'0")  
2'10" x 6'8" (7'0")  
3'0" x 6'8" (7'0")




Smooth

S131  
6E  
2'6" x 6'8" (7'0")  
2'8" x 6'8" (7'0")  
2'10" x 6'8" (7'0")  
3'0" x 6'8" (7'0")

6'8" 1/3 Glass

Clear Glass with Divided Lites and Clear Glass




Elevated  
U1 REV: 46-1/2"  
Book / Hybrid:  
46-7/8"



Smooth

S115  
6E  
2'6" x 6'8" (7'0")  
2'8" x 6'8" (7'0")  
2'10" x 6'8" (7'0")  
3'0" x 6'8" (7'0")



Smooth

S105  
6E  
2'6" x 6'8" (7'0")  
2'8" x 6'8" (7'0")  
2'10" x 6'8" (7'0")  
3'0" x 6'8" (7'0")



Key

- No Stile Lines
- ★ Low-E Glass (LE)
- ▢ Simulated Divided Lites (SDL)


- ◆ Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- ◆ Flat or Contour Almond Grilles Between Glass (GBGF / GBGC)
- ◆ Flat or Contour Bronze Grilles Between Glass (GBGF / GBGC)

- ◆ Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- ◆ Fixed Grilles (FXG)
- ◆ NEW Scrolled & Flat Advanta Lite Frame

- 6 WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options

6'8" Craftsman Glass


**EnLiten™ Flush-Glazed Privacy & Textured Glass and Clear Glass with Divided Lites**



Elevated  
U1 REV: 10-3/16"  
Book / Hybrid:  
10-3/8"




**Mahogany**  
FCM4812\_\_  
FCM4812 \*  
▲ 🔲 E  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



**Smooth**  
S4812\_\_  
S4812 \*  
▲ 🔲 E  
2'8" x 6'8" (7'0")  
2'10" x 6'8" (7'0")  
3'0" x 6'8" (7'0")




**Mahogany**  
FCM4813\_\_  
FCM4813 \*  
▲ 🔲 E  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



**Smooth**  
S4813\_\_  
S4813 \*  
▲ 🔲 E  
2'8" x 6'8" (7'0")  
2'10" x 6'8" (7'0")  
3'0" x 6'8" (7'0")



**Mahogany**  
FCM4814\_\_  
FCM4814 \*  
▲ 🔲 E  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



**Smooth**  
S4814\_\_  
S4814 \*  
▲ 🔲 E  
2'8" x 6'8" (7'0")  
2'10" x 6'8" (7'0")  
3'0" x 6'8" (7'0")

**EnLiten™ Flush-Glazed Privacy & Textured Glass and Clear Glass with & without Divided Lites**




**Mahogany**  
FCM4816\_\_  
FCM4816 \*  
▲ 🔲 E  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



**Smooth**  
S4816\_\_  
S4816 \*  
▲ 🔲 E  
2'8" x 6'8" (7'0")  
2'10" x 6'8" (7'0")  
3'0" x 6'8" (7'0")




**Mahogany**  
FCM4810\_\_  
FCM4810 \*  
▲ 🔲 E  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



**Smooth**  
S4810\_\_  
S4810 \*  
▲ 🔲 E  
2'8" x 6'8" (7'0")  
2'10" x 6'8" (7'0")  
3'0" x 6'8" (7'0")

**Privacy & Textured Glass and Clear Glass**




Elevated  
U1 REV: 10-3/16"  
Book / Hybrid:  
10-3/8"



**Smooth**  
S2610\_\_  
S2610 \*  
▲ 🔲 E  
2'8" x 6'8" (7'0")  
2'10" x 6'8" (7'0")  
3'0" x 6'8" (7'0")

6'8" Cambertop Glass

**Clear Glass with Divided Lites and Clear Glass**



Elevated  
U1 REV: 10-17/32"  
Book / Hybrid:  
10-23/32"




**Smooth**  
S752  
\* 🔲 ◆ E  
3'0" x 6'8" (7'0")



**Smooth**  
S704  
\* 🔲 ◆ E  
3'0" x 6'8" (7'0")



**Smooth**  
S708  
\* 🔲 E  
3'0" x 6'8" (7'0")



Elevated  
U1 REV: 10-23/32"  
Book / Hybrid: 10-29/32"



**Oak**  
FC61\_\_  
FC61 \*  
E  
3'0" x 6'8" (7'0")



**Smooth**  
S296\_\_  
S296 \*  
E  
3'0" x 6'8" (7'0")

6'8" 2-Lite Glass

**Privacy & Textured Glass and Clear Glass**

**Privacy & Textured Glass Options**

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 15.

**XK = Reeded**  
Not available for Craftsman lites.  
**XG = Geometric**  
Not available for Craftsman lites.


**XE = Satin Etch**  
**XC = Chord**  
**XJ = Chinchilla**

**XR = Rainglass**  
**XN = Granite**

\*Available with flat lite frame or Impact-rated lite frame only.  
\*\*See pages 10-13 for Fire-rated door style options.



6'8" Solid-Panel Doors




**Elevated**  
U1 REV: 10-<sup>17</sup>/<sub>32</sub>"  
Book / Hybrid:  
10-<sup>23</sup>/<sub>32</sub>"



**Oak**  
**FC60**  
6 E 🔥  
3'0" x 6'8" (7'0")




**Smooth**  
**S210**  
6 E 🔥  
3'0" x 6'8" (7'0")



**Elevated**  
U1 REV: 10-<sup>17</sup>/<sub>32</sub>"  
Book / Hybrid:  
10-<sup>23</sup>/<sub>32</sub>"




**Smooth**  
**S220**  
6 E 🔥  
3'0" x 6'8" (7'0")




**Elevated**  
U1 REV: 10-<sup>3</sup>/<sub>16</sub>"  
Book / Hybrid:  
10-<sup>3</sup>/<sub>8</sub>"




**Smooth**  
**S120**  
6 E 🔥  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"




**Elevated**  
U1 REV: 10-<sup>3</sup>/<sub>16</sub>"  
Book / Hybrid:  
10-<sup>3</sup>/<sub>8</sub>"



**Smooth**  
**S4800**  
6 E 🔥  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



**Elevated**  
U1 REV: 10-<sup>3</sup>/<sub>16</sub>"  
Book / Hybrid:  
10-<sup>3</sup>/<sub>8</sub>"



**Smooth**  
**S1100**  
6 E 🔥  
2'8" x 6'8"  
2'10" x 6'8"  
3'0" x 6'8"



**Mahogany**  
**FCM1000**  
6 E 🔥  
2'0" x 6'8"  
2'4" x 6'8"  
2'6" x 6'8" (7'0")  
2'8" x 6'8" (7'0")  
2'10" x 6'8" (7'0")  
3'0" x 6'8" (7'0")



**Oak**  
**1000**  
6 E 🔥  
2'0" x 6'8"  
2'4" x 6'8" Δ  
2'6" x 6'8" Δ (7'0")  
2'8" x 6'8" Δ (7'0")  
2'10" x 6'8" Δ (7'0")  
3'0" x 6'8" Δ (7'0")



**Smooth**  
**S100**  
6 E 🔥  
2'0" x 6'8" Δ  
2'4" x 6'8" Δ  
2'6" x 6'8" Δ  
2'8" x 6'8" Δ (7'0")  
2'10" x 6'8" Δ (7'0")  
3'0" x 6'8" Δ (7'0")  
3'6" x 6'8"

**Key**

- Flush-Glazed Glass with Square Sticking (FG)
- No Stile Lines
- Low-E Glass (LE)
- Simulated Divided Lites (SDLF1)


- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat or Contour Almond Grilles Between Glass (GBGF / GBGC)
- Flat or Contour Bronze Grilles Between Glass (GBGF / GBGC)

- Fixed Grilles (FXG)
- Flat Lite Frame
- NEW Flat Advanta Lite Frame
- WBDR Options
- WBDR / HVHZ Options


- 6'6" Height Available
- Elevated 10" Bottom Rail Options
- 20-Minute Fire-Rated Options\*\*

7'0" Full Glass

**Privacy & Textured Glass and Clear Glass with Divided Lites**



**Elevated**  
U1 REV: 10-5/32"  
Book / Hybrid:  
10-1/32"



**Elevated** ■  
U1 REV: 10-5/32"  
Book / Hybrid:  
10-1/32"



**Mahogany**  
FCM1285\_\*  
FCM1285\_★  
■ ◆ ◆ ◆ ◆ ◆ E  
2'8" x 7'0"  
2'10" x 7'0"  
3'0" x 7'0"



**Oak**  
FC138\_\*  
FC138\_★  
■ ◆ ◆ ◆ ◆ ◆ E  
2'8" x 7'0"  
2'10" x 7'0"  
3'0" x 7'0"



**Oak**  
1285\_\*  
1285\_★  
■ ◆ ◆ ◆ ◆ ◆ E  
2'8" x 7'0"  
2'10" x 7'0"  
3'0" x 7'0"



**Smooth**  
S128\_\*  
S128\_★  
■ ◆ ◆ ◆ ◆ ◆ E  
2'8" x 7'0"  
2'10" x 7'0"  
3'0" x 7'0"



**Smooth**  
S141\_\*  
S141\_★  
■ ◆ ◆ ◆ ◆ ◆ E  
◆ E  
2'8" x 7'0"  
2'10" x 7'0"  
3'0" x 7'0"  
3'6" x 7'0"

**Clear Glass with Divided Lites**



**Mahogany**  
FCM1284\_\*  
FCM1284\_★  
■ ◆ ◆ ◆ ◆ ◆ E  
2'8" x 7'0"  
2'10" x 7'0"  
3'0" x 7'0"



**Oak**  
FC18\_\*  
FC18\_★  
■ ◆ ◆ ◆ ◆ ◆ E  
2'8" x 7'0"  
2'10" x 7'0"  
3'0" x 7'0"



**Oak**  
1284\_\*  
1284\_★  
■ ◆ ◆ ◆ ◆ ◆ E  
2'8" x 7'0"  
2'10" x 7'0"  
3'0" x 7'0"



**Smooth**  
S108\_\*  
S108\_★  
■ ◆ ◆ ◆ ◆ ◆ E  
2'8" x 7'0"  
2'10" x 7'0"  
3'0" x 7'0"



**Smooth**  
S6063\_\*  
S6063\_★  
■ ◆ ◆ ◆ ◆ ◆ E  
◆ E  
2'8" x 7'0"  
2'10" x 7'0"  
3'0" x 7'0"  
3'6" x 7'0"



**Mahogany**  
FCM1201  
■ ◆ ◆ ◆ ◆ ◆ E  
2'8" x 7'0"  
2'10" x 7'0"  
3'0" x 7'0"



**Oak**  
FC1209  
■ ◆ ◆ ◆ ◆ ◆ E  
2'8" x 7'0"  
2'10" x 7'0"  
3'0" x 7'0"




**Oak**  
FC1201  
■ ◆ ◆ ◆ ◆ ◆ E  
2'8" x 7'0"  
2'10" x 7'0"  
3'0" x 7'0"



**Smooth**  
S1209  
■ ◆ ◆ ◆ ◆ ◆ E  
2'8" x 7'0"  
2'10" x 7'0"  
3'0" x 7'0"



**Smooth**  
S1201  
■ ◆ ◆ ◆ ◆ ◆ E  
2'8" x 7'0"  
2'10" x 7'0"  
3'0" x 7'0"  
3'6" x 7'0"



**Mahogany**  
FCM1202  
■ ◆ ◆ ◆ ◆ ◆ E  
2'8" x 7'0"  
2'10" x 7'0"  
3'0" x 7'0"



**Oak**  
FC1211  
■ ◆ ◆ ◆ ◆ ◆ E  
2'8" x 7'0"  
2'10" x 7'0"  
3'0" x 7'0"



**Oak**  
FC1202  
■ ◆ ◆ ◆ ◆ ◆ E  
2'8" x 7'0"  
2'10" x 7'0"  
3'0" x 7'0"



**Smooth**  
S1211  
■ ◆ ◆ ◆ ◆ ◆ E  
2'8" x 7'0"  
2'10" x 7'0"  
3'0" x 7'0"

**Privacy & Textured Glass Options**

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 15.

XK = Reeded  
XG = Geometric










































XE = Satin Etch  
XC = Chord










































XJ = Chinchilla  
XR = Rainglass

XN = Granite































7'0" Full Glass

Clear Glass with Divided Lites





						
Smooth	Mahogany	Oak	Oak	Smooth	Smooth	Mahogany
S1202      E 2'8" x 7'0" 2'10" x 7'0" 3'0" x 7'0" 3'6" x 7'0"	FCM1203      E 2'8" x 7'0" 2'10" x 7'0" 3'0" x 7'0"	FC1212     E 2'8" x 7'0" 2'10" x 7'0" 3'0" x 7'0"	FC1203      E 2'8" x 7'0" 2'10" x 7'0" 3'0" x 7'0"	S1212      E 2'8" x 7'0" 2'10" x 7'0" 3'0" x 7'0"	S1203      E 2'8" x 7'0" 2'10" x 7'0" 3'0" x 7'0" 3'6" x 7'0"	FCM1200      E 2'8" x 7'0" 2'10" x 7'0" 3'0" x 7'0"

						
Oak	Oak	Smooth	Smooth	Mahogany	Oak	Oak
FC1208     E 2'8" x 7'0" 2'10" x 7'0" 3'0" x 7'0"	FC1200      E 2'8" x 7'0" 2'10" x 7'0" 3'0" x 7'0"	S1208      E 2'8" x 7'0" 2'10" x 7'0" 3'0" x 7'0"	S1200      E 2'8" x 7'0" 2'10" x 7'0" 3'0" x 7'0" 3'6" x 7'0"	FCM1289      E 2'8" x 7'0" 2'10" x 7'0" 3'0" x 7'0"	FC198      E 2'8" x 7'0" 2'10" x 7'0" 3'0" x 7'0"	1289      E 2'8" x 7'0" 2'10" x 7'0" 3'0" x 7'0"

Privacy & Textured Glass and Clear Glass

						
Smooth	Smooth	Mahogany	Oak	Oak	Smooth	Smooth
S198     E 2'8" x 7'0" 2'10" x 7'0" 3'0" x 7'0"	S6062      E 2'8" x 7'0" 2'10" x 7'0" 3'0" x 7'0" 3'6" x 7'0"	FCM1283_ FCM1283    E 2'8" x 7'0" 2'10" x 7'0" 3'0" x 7'0"	FC10_ FC10   E 2'8" x 7'0" 2'10" x 7'0" 3'0" x 7'0"	1283_ 1283    E 2'8" x 7'0" 2'10" x 7'0" 3'0" x 7'0"	S118_ S118    E 2'8" x 7'0" 2'10" x 7'0" 3'0" x 7'0"	S140_ S140    E 2'8" x 7'0" 2'10" x 7'0" 3'0" x 7'0" 3'6" x 7'0"

Key

-  No Stile Lines
-  Low-E Glass (LE)
-  Turtle Glass
-  Simulated Divided Lites (SDL)
-  Flat or Contour White Grilles Between Glass (GBGF / GBGC)
-  Flat or Contour Bronze Grilles Between Glass (GBGF / GBGC)
-  Flat or Contour Almond Grilles Between Glass (GBGF / GBGC)
-  Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
-  NEW Scrolled & Flat Advanta Lite Frame
-  Fixed Grilles (FXG)
-  WBDR / HVHZ Options
-  Elevated 10" Bottom Rail Options

7'0" Full Glass

**Internal Blinds**



**Mahogany**  
FCM1286  
2'8" x 7'0"  
2'10" x 7'0"  
3'0" x 7'0"



**Oak**  
FC141  
2'8" x 7'0"  
2'10" x 7'0"  
3'0" x 7'0"



**Oak**  
1286  
2'8" x 7'0"  
2'10" x 7'0"  
3'0" x 7'0"




**Smooth**  
S130  
2'8" x 7'0"  
2'10" x 7'0"  
3'0" x 7'0"




**Smooth**  
S6061  
2'8" x 7'0"  
2'10" x 7'0"  
3'0" x 7'0"  
3'6" x 7'0"


7'0" 1/2 Glass



**Elevated**  
U1 REV: 10-1/2"  
Book / Hybrid:  
10-29/32"



**Elevated**  
U1 REV: 10-17/32"  
Book / Hybrid:  
10-29/32"



**Elevated**  
U1 REV: 38-9/32"  
Book / Hybrid:  
38-17/32"

**Privacy & Textured Glass and Clear Glass with Divided Lites**



**Oak**  
FC65\_\*  
FC65\_\*  
2'8" x 7'0"  
2'10" x 7'0"  
3'0" x 7'0"



**Smooth**  
S262\_\*  
S262\_\*  
2'8" x 7'0"  
2'10" x 7'0"  
3'0" x 7'0"



**Smooth**  
S6022\_\*  
S6022\_\*  
2'8" x 7'0"  
2'10" x 7'0"  
3'0" x 7'0"



**Oak**  
FC1408  
2'8" x 7'0"  
2'10" x 7'0"  
3'0" x 7'0"



**Smooth**  
S1408  
2'8" x 7'0"  
2'10" x 7'0"  
3'0" x 7'0"



**Smooth**  
S1405  
2'8" x 7'0"  
2'10" x 7'0"  
3'0" x 7'0"



**Oak**  
FC62\_  
FC62\_\*  
E  
2'8" x 7'0"  
2'10" x 7'0"  
3'0" x 7'0"



**Smooth**  
S206\_  
S206\_\*  
E  
2'8" x 7'0"  
2'10" x 7'0"  
3'0" x 7'0"



**Smooth**  
S6021\_  
S6021\_\*  
E  
2'8" x 7'0"  
2'10" x 7'0"  
3'0" x 7'0"

**Privacy & Textured Glass and Clear Glass**

**Privacy & Textured Glass Options**

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 15.

**XK = Reeded**  
Available for select styles.  
**XG = Geometric**  
Available for select styles.

**XE = Satin Etch**  
**XC = Chord**  
**XJ = Chinchilla**

**XR = Rainglass**  
**XN = Granite**

## 7'0" 1/2 Glass




Mahogany

FCM104\_  
FCM670 \*  
■ E  
2'6" x 7'0"  
2'8" x 7'0"  
2'10" x 7'0"  
3'0" x 7'0"



Oak

FC104\_  
FC670 \*  
■ E  
2'6" x 7'0"  
2'8" x 7'0"  
2'10" x 7'0"  
3'0" x 7'0"



Smooth

S104\_  
S104 \*  
■ E  
2'6" x 6'8"  
2'8" x 7'0"  
2'10" x 7'0"  
3'0" x 7'0"

### Internal Blinds



Oak

FC678  
\* E  
2'8" x 7'0"  
2'10" x 7'0"  
3'0" x 7'0"



Smooth

S132  
\* E  
2'8" x 7'0"  
2'10" x 7'0"  
3'0" x 7'0"



Smooth

S6035  
\* E  
2'8" x 7'0"  
2'10" x 7'0"  
3'0" x 7'0"

## 7'0" 1/3 Glass




Mahogany

FCM116  
■ \* E  
2'6" x 7'0"  
2'8" x 7'0"  
2'10" x 7'0"  
3'0" x 7'0"




Oak

FC116  
■ \* E  
2'6" x 7'0"  
2'8" x 7'0"  
2'10" x 7'0"  
3'0" x 7'0"



Smooth

S131  
■ \* E  
2'6" x 7'0"  
2'8" x 7'0"  
2'10" x 7'0"  
3'0" x 7'0"



Elevated  
U1 REV: 47-<sup>5</sup>/<sub>32</sub>"  
Book / Hybrid:  
47-<sup>1</sup>/<sub>32</sub>"

### Clear Glass with Divided Lites and Clear Glass



Smooth

S115  
■ \* ◆ E  
2'8" x 7'0"  
2'10" x 7'0"  
3'0" x 7'0"




Smooth


S105  
■ \* E  
2'8" x 7'0"  
2'10" x 7'0"  
3'0" x 7'0"

## 7'0" Craftsman Glass


### EnLiten™ Flush-Glazed Privacy & Textured Glass and Clear Glass with Divided Lites




Elevated  
U1 REV: 11-<sup>13</sup>/<sub>32</sub>"  
Book / Hybrid:  
11-<sup>13</sup>/<sub>32</sub>"




S4812 \*  
S4812 \*  
■ ◆ E  
2'8" x 7'0"  
2'10" x 7'0"  
3'0" x 7'0"




S4813 \*  
S4813 \*  
■ ◆ E  
2'8" x 7'0"  
2'10" x 7'0"  
3'0" x 7'0"



S4814 \*  
S4814 \*  
■ ◆ E  
2'8" x 7'0"  
2'10" x 7'0"  
3'0" x 7'0"



S4816 \*  
S4816 \*  
■ ◆ E  
2'8" x 7'0"  
2'10" x 7'0"  
3'0" x 7'0"



S4810 \*  
S4810 \*  
■ E  
2'8" x 7'0"  
2'10" x 7'0"  
3'0" x 7'0"

### Key




- Flush-Glazed Glass with Square Sticking (FG)
- No Stile Lines
- ★ Low-E Glass (LE)

- Simulated Divided Lites (SDL)
- ◆ Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- ◆ Flat or Contour Almond Grilles Between Glass (GBGF / GBGC)




- ◆ Flat or Contour Bronze Grilles Between Glass (GBGF / GBGC)
- ◆ Flat or Contour Black Grilles Between Glass (GBGF / GBGC)

- NEW Scrolled & Flat Advanta Lite Frame
- ◆ Fixed Grilles (FXG)
- Ⓜ WBDR / HVHZ Options
- E Elevated 10" Bottom Rail Options









7'0" Craftsman Glass ————— 7'0" Cambertop Glass —————

	<p><b>Privacy &amp; Textured Glass and Clear Glass</b></p>			<p><b>Clear Glass with Divided Lites</b></p>			
	 <p><b>Smooth</b></p> <p><b>S2610</b>                  U1 REV: 11-<sup>13</sup>/<sub>32</sub>"                  Book / Hybrid:                  11-<sup>13</sup>/<sub>32</sub>"</p> <p><b>S2610*</b>                  U1 REV: 11-<sup>13</sup>/<sub>32</sub>"                  Book / Hybrid:                  11-<sup>13</sup>/<sub>32</sub>"</p> <p>2'8" x 7'0"                  2'10" x 7'0"                  3'0" x 7'0"</p>	<p><b>Elevated U1 REV: 10-<sup>17</sup>/<sub>32</sub>"</b>                  Book / Hybrid:                  10-<sup>23</sup>/<sub>32</sub>"</p>		<p><b>Oak</b></p> <p><b>FC752</b>                  U1 REV: 10-<sup>17</sup>/<sub>32</sub>"                  Book / Hybrid:                  10-<sup>23</sup>/<sub>32</sub>"</p> <p>2'8" x 7'0"                  2'10" x 7'0"                  3'0" x 7'0"</p>	<p><b>Smooth</b></p> <p><b>S752</b>                  U1 REV: 10-<sup>17</sup>/<sub>32</sub>"                  Book / Hybrid:                  10-<sup>23</sup>/<sub>32</sub>"</p> <p>2'8" x 7'0"                  2'10" x 7'0"                  3'0" x 7'0"</p>	<p><b>Oak</b></p> <p><b>FC704</b>                  U1 REV: 10-<sup>17</sup>/<sub>32</sub>"                  Book / Hybrid:                  10-<sup>23</sup>/<sub>32</sub>"</p> <p>2'8" x 7'0"                  2'10" x 7'0"                  3'0" x 7'0"</p>	<p><b>Smooth</b></p> <p><b>S704</b>                  U1 REV: 10-<sup>17</sup>/<sub>32</sub>"                  Book / Hybrid:                  10-<sup>23</sup>/<sub>32</sub>"</p> <p>2'8" x 7'0"                  2'10" x 7'0"                  3'0" x 7'0"</p>

7'0" 2-Lite Glass —————

<p><b>Clear Glass</b></p>		<p><b>Privacy &amp; Textured Glass and Clear Glass</b></p>			
 <p><b>Oak</b></p> <p><b>FC708</b>                  U1 REV: 10-<sup>23</sup>/<sub>32</sub>"                  Book / Hybrid:                  10-<sup>23</sup>/<sub>32</sub>"</p> <p>2'8" x 7'0"                  2'10" x 7'0"                  3'0" x 7'0"</p>	 <p><b>Smooth</b></p> <p><b>S708</b>                  U1 REV: 10-<sup>23</sup>/<sub>32</sub>"                  Book / Hybrid:                  10-<sup>23</sup>/<sub>32</sub>"</p> <p>2'8" x 7'0"                  2'10" x 7'0"                  3'0" x 7'0"</p>		<p><b>Oak</b></p> <p><b>FC61</b>                  U1 REV: 10-<sup>23</sup>/<sub>32</sub>"                  Book / Hybrid:                  10-<sup>23</sup>/<sub>32</sub>"</p> <p>2'8" x 7'0"                  2'10" x 7'0"                  3'0" x 7'0"</p>	<p><b>Smooth</b></p> <p><b>S296</b>                  U1 REV: 10-<sup>23</sup>/<sub>32</sub>"                  Book / Hybrid:                  10-<sup>23</sup>/<sub>32</sub>"</p> <p>2'8" x 7'0"                  2'10" x 7'0"                  3'0" x 7'0"</p>	

7'0" Solid-Panel Doors —————

	 <p><b>Oak</b></p> <p><b>FC60</b>                  U1 REV: 10-<sup>17</sup>/<sub>32</sub>"                  Book / Hybrid:                  10-<sup>23</sup>/<sub>32</sub>"</p> <p>2'8" x 7'0"                  2'10" x 7'0"                  3'0" x 7'0"</p>	 <p><b>Smooth</b></p> <p><b>S210</b>                  U1 REV: 10-<sup>17</sup>/<sub>32</sub>"                  Book / Hybrid:                  10-<sup>23</sup>/<sub>32</sub>"</p> <p>2'8" x 7'0"                  2'10" x 7'0"                  3'0" x 7'0"</p>		 <p><b>Smooth</b></p> <p><b>S220</b>                  U1 REV: 10-<sup>17</sup>/<sub>32</sub>"                  Book / Hybrid:                  10-<sup>23</sup>/<sub>32</sub>"</p> <p>2'8" x 7'0"                  2'10" x 7'0"                  3'0" x 7'0"</p>	 <p><b>Mahogany</b></p> <p><b>FCM1000</b>                  U1 REV: 10-<sup>17</sup>/<sub>32</sub>"                  Book / Hybrid:                  10-<sup>23</sup>/<sub>32</sub>"</p> <p>2'6" x 7'0"                  2'8" x 7'0"                  2'10" x 7'0"                  3'0" x 7'0"</p>	 <p><b>Oak</b></p> <p><b>1000</b>                  U1 REV: 10-<sup>17</sup>/<sub>32</sub>"                  Book / Hybrid:                  10-<sup>23</sup>/<sub>32</sub>"</p> <p>2'6" x 7'0"                  2'8" x 7'0"                  2'10" x 7'0"                  3'0" x 7'0"</p>	 <p><b>Smooth</b></p> <p><b>S100</b>                  U1 REV: 10-<sup>17</sup>/<sub>32</sub>"                  Book / Hybrid:                  10-<sup>23</sup>/<sub>32</sub>"</p> <p>2'8" x 7'0"                  2'10" x 7'0"                  3'0" x 7'0"</p>
--	--	---	---	---	--	---	---

**Privacy & Textured Glass Options**


Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 15.

<b>XK = Reeded</b>	<b>XE = Satin Etch</b>	<b>XJ = Chinchilla</b>	<b>XN = Granite</b>
<b>XG = Geometric</b>	<b>XC = Chord</b>	<b>XR = Rainglass</b>	

\*Available with flat lite frame or Impact-rated lite frame only.  
 \*\*See pages 10-13 for Fire-rated door style options.

8'0" Full Glass

**EnLiten™ Flush-Glazed Privacy & Textured Glass and Clear Glass with Divided Lites**



Elevated  
U1 REV: 10-1/4"  
Book / Hybrid:  
10-15/32"

<b>NEW</b>	<b>NEW</b>	<b>NEW</b>	<b>NEW</b>	<b>NEW</b>	<b>NEW</b>
Smooth	Smooth	Smooth	Smooth	Smooth	Smooth
S85705_	S85700_	S85715_	S85710_	S85725_	S85720_
S85705 *	S85700 *	S85715 *	S85710 *	S85725 *	S85720 *
▲ 🔥 E	▲ 🔥 E	▲ 🔥 E	▲ 🔥 E	▲ 🔥 E	▲ 🔥 E
2'6" x 8'0"	2'6" x 8'0"	2'6" x 8'0"	2'6" x 8'0"	2'6" x 8'0"	2'6" x 8'0"
2'8" x 8'0"	2'8" x 8'0"	2'8" x 8'0"	2'8" x 8'0"	2'8" x 8'0"	2'8" x 8'0"
2'10" x 8'0"	2'10" x 8'0"	2'10" x 8'0"	2'10" x 8'0"	2'10" x 8'0"	2'10" x 8'0"
3'0" x 8'0"	3'0" x 8'0"	3'0" x 8'0"	3'0" x 8'0"	3'0" x 8'0"	3'0" x 8'0"

**EnLiten™ Flush-Glazed Privacy & Textured Glass and Clear Glass with & without Divided Lites**

<b>NEW</b>	<b>NEW</b>	<b>NEW</b>	<b>NEW</b>
Smooth	Smooth	Smooth	Smooth
S8691_	S8685L_	S8685R_	S8000_
S8691 *	S8685L *	S8685R *	S8000 *
▲ 🔥 E	▲ 🔥 E	▲ 🔥 E	▲ 🔥 E
2'6" x 6'8"	2'6" x 6'8"	2'6" x 6'8"	2'0" x 6'8"
2'8" x 6'8"	2'8" x 6'8"	2'8" x 6'8"	2'6" x 6'8"
2'10" x 6'8"	2'10" x 6'8"	2'10" x 6'8"	2'8" x 6'8"
3'0" x 6'8"	3'0" x 6'8"	3'0" x 6'8"	2'10" x 6'8"
			3'0" x 6'8"

**EnLiten™ Flush-Glazed Clear Glass with Divided Lites**

<b>NEW</b>	<b>NEW</b>	<b>NEW</b>
Smooth	Smooth	Smooth
S8000-12	S8000-18	S8000-9
▲ 🔥 ◆ ◆ ◆ ◆ E	▲ 🔥 ◆ ◆ ◆ ◆ E	▲ 🔥 ◆ ◆ ◆ ◆ E
2'6" x 6'8"	2'6" x 6'8"	2'6" x 6'8"
2'8" x 6'8"	2'8" x 6'8"	2'8" x 6'8"
2'10" x 6'8"	2'10" x 6'8"	2'10" x 6'8"
3'0" x 6'8"	3'0" x 6'8"	3'0" x 6'8"


**Key**

- ▲ Flush-Glazed Glass with Detailed Sticking (FG)
- No Stile Lines
- ★ Low-E Glass (LE)
- 1 Simulated Divided Lites (SDLF1)
- 2 Simulated Divided Lites (SDLF2)
- ◆ Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- ◆ Flat or Contour Almond Grilles Between Glass (GBGF / GBGC)
- ◆ Flat or Contour Bronze Grilles Between Glass (GBGF / GBGC)
- ◆ Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- ◆ Fixed Grilles (FXG)
- ▤ Flat Lite Frame
- ▤ NEW Flat Advanta Lite Frame
- Ⓢ WBDR / HVHZ Option
- E Elevated 10" Bottom Rail Options
- 🔥 20-Minute Fire-Rated Options\*

8'0" 1/2 Glass

**Privacy & Textured Glass and Clear Glass**  
with & without Divided Lites

**Internal Blinds**



Elevated  
U1 REV: 10-7/32"  
Book: 10-7/16"  
Hybrid: 10-7/16"



Smooth  
S86021  
S86021\*  
6E  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Smooth  
S86022\_  
6E  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Smooth  
S86035  
6E  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

**Clear Glass with Divided Lites**



Mahogany  
S8326  
6E  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Smooth  
S8327  
6E  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Smooth  
S8328  
6E  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"




Smooth  
S8325  
6E  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Smooth  
S81405  
6E  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"

8'0" Solid-Panel Doors



Elevated  
U1 REV: 10-7/32"  
Book: 10-7/16"  
Hybrid: 10-7/16"



Smooth  
S8200  
6E  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Mahogany  
FCM81000  
6E  
2'0" x 8'0"  
2'4" x 8'0"  
2'6" x 8'0"  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Oak  
81000  
6E  
2'0" x 8'0"  
2'4" x 8'0"  
2'6" x 8'0"  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"



Smooth  
S81000  
6E  
2'0" x 8'0"  
2'4" x 8'0"  
2'6" x 8'0"  
2'8" x 8'0"  
2'10" x 8'0"  
3'0" x 8'0"  
3'6" x 8'0"


**Key**

- Flush-Glazed Glass with Detailed Sticking (FG)
- Low-E Glass (LE)
- Simulated Divided Lites (SDL)
- Flat or Contour White Grilles Between Glass (GBGF / GBGC)
- Flat or Contour Almond Grilles Between Glass (GBGF / GBGC)
- Flat or Contour Bronze Grilles Between Glass (GBGF / GBGC)
- NEW Flat or Contour Black Grilles Between Glass (GBGF / GBGC)
- Fixed Grilles (FXG)
- WBDR / HVHZ Options
- Elevated 10" Bottom Rail Options



# Elevated Bottom Rail Pulse® Doors

## 6'8" Pulse Echo Doors



Elevated  
U1 REV: 26-3/4"  
Book: 26-3/4"  
Hybrid: 26-3/4"




S9L\_  
S9LCL ✱  
E



S9\_  
S9CL ✱  
E



S9R\_  
S9RCL ✱  
E



Elevated  
U1 REV: 49-1/8"  
Book: 49-5/16"  
Hybrid: 49-5/16"



S8L\_  
S8LCL ✱  
E




S8\_  
S8CL ✱  
E



S8R\_  
S8RCL ✱  
E

## 8'0" Pulse Echo Doors



Elevated  
U1 REV: 30-9/32"  
Book: 30-9/32"  
Hybrid: 30-9/32"




S811L\_  
S811LCL ✱  
E



S811\_  
S811CL ✱  
E



S811R\_  
S811RCL ✱  
E



Elevated  
U1 REV: 55-1/4"  
Book: 55-11/32"  
Hybrid: 55-11/32"



S810L\_  
S810LCL ✱  
E



S810\_  
S810CL ✱  
E




S810R\_  
S810RCL ✱  
E

### It's your decision, by design.


Select a look for the door and sidelites. Choose a material. Find an available glass design and frame to complete the statement. Stain or paint it any color. Explore all the possible combinations at [thermatru.com/pulse](http://thermatru.com/pulse).



Wood-Grained Fiberglass:  
Mahogany or Oak (Shown in Driftwood stain.)



Smooth Fiberglass



Steel

Size Options	6'8"	8'0"
	2'6" x 6'8"	2'6" x 8'0"
2'8" x 6'8"	2'8" x 8'0"	
2'10" x 6'8"	2'10" x 8'0"	
3'0" x 6'8"	3'0" x 8'0"	
3'6" x 6'8" •	3'6" x 8'0" ◦	

• Available in Smooth-Star and Profiles only.  
◦ Available in Smooth-Star only.

### Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 15.

XK = Reeded      XJ = Chinchilla  
XG = Geometric    XR = Rainglass  
XE = Satin Etch    XN = Granite  
XC = Chord

# Noise Reduction Doors

Therma-Tru. Noise Reduction doors provide a commercial level of performance, while providing the look of a residential door system. Ideal for multi-use and urban in-fill projects located near sources of noise pollution, our Noise Reduction doors provide a Sound Transmission Class (STC) rating of up to 36. These ratings provide a standard industry accepted method for comparing the sound reduction effectiveness of door systems.



Therma-Tru Noise Reduction doors are available in our Smooth-Star product line, which features crisp, clean contours that offer a more attractive and durable alternative to steel doors. And unlike steel doors, Therma-Tru Smooth-Star fiberglass Noise Reduction doors won't dent or rust. They also provide years of dependable service with safety and weather resistance built into every noise reduction system.

**BTS Lite Frame**


Handles temperature swings and extremes without warping, splitting, cracking or yellowing.

**Glass**

Choose laminated glass for additional security from forced entry.

**Engineered Core**

Securely laminated and bonded to the durable fiberglass door skin providing for a rigid and durable door assembly.



**Privacy & Textured Glass Available via Special Quote**




Reeded Privacy Rating: 7	Geometric Privacy Rating: 7	Satin Etch Privacy Rating: 10	Chord Privacy Rating: 10	Chinchilla Privacy Rating: 10	Rainglass Privacy Rating: 8	Granite Privacy Rating: 10	Low-E Privacy Rating: 0
-----------------------------	--------------------------------	----------------------------------	-----------------------------	----------------------------------	--------------------------------	-------------------------------	----------------------------

Note: Also available in decorative full-lite glass option in aluminum Lip-lite frame.

**Smooth-Star®**

**6'8" Full Glass**



<b>S140STC</b> No Stile Lines, Low-E Glass (LE), Flat White Grilles Between Glass Only (GBG), NEW Scrolled & Flat Advanta Lite Frame, Elevated 10" Bottom Rail Options 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" (7'0")	<b>S141STC</b> No Stile Lines, Low-E Glass (LE), Flat White Grilles Between Glass Only (GBG), NEW Scrolled & Flat Advanta Lite Frame, Elevated 10" Bottom Rail Options 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" (7'0")	<b>S6063STC</b> No Stile Lines, Low-E Glass (LE), Flat White Grilles Between Glass Only (GBG), NEW Scrolled & Flat Advanta Lite Frame, Elevated 10" Bottom Rail Options 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" (7'0")
---	---	--

**8'0" Full Glass**



**S8140STC**  
No Stile Lines, Low-E Glass (LE), Flat White Grilles Between Glass Only (GBG), NEW Scrolled & Flat Advanta Lite Frame, Elevated 10" Bottom Rail Options  
2'6" x 8'0"  
2'8" x 8'0"  
3'0" x 8'0"

**Key**

- No Stile Lines
- ☀ Low-E Glass (LE)
- ◆ Flat White Grilles Between Glass Only (GBG)
- ▨ NEW Scrolled & Flat Advanta Lite Frame
- E Elevated 10" Bottom Rail Options

Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to handcrafting and size of glass. See your Therma-Tru seller or visit [www.thermatru.com](http://www.thermatru.com) for details on glass privacy ratings and glass designs.

# STC Testing Information

STC = Sound Transmission Class  
 OITC = Outdoor-Indoor Transmission Class  
 EWR = Exterior Wall Rating

Test Methods: ASTM E90-70/81/85/2004  
 ASTM E2235-04  
 Classification: For STC – ASTM E413-73/2004  
 For OITC – ASTM E1332-90

Product Descriptions	STC System	OITC System	EWR System	STC Door	OITC Door	EWR Door	Test Report
<b>6'8" Fiberglass</b>							
Classic Craft Opaque	26	23					ITS 3013634-001
Classic Craft Glazed	26	24	28	27	25	30	74367.01-113-11
Fiber-Classic / Smooth-Star Opaque	23	20					ITS 3013634-001
Fiber-Classic / Smooth-Star Glazed	26	24	28	27	25	30	74367.01-113-11
Fiber-Classic / Smooth-Star Glazed with 1" Standard Glass	28	26		28	27		I4812.01-113-11-RO
Fiber-Classic / Smooth-Star Flush-Glazed	29	26	31	29	27	31	E6297.02-113-11
Fiber-Classic / Smooth-Star Foam Core Fire-Rated Door	24	24		24	25		J4862.01A
Smooth-Star Flush-Glazed Miniblinds	30	27		31	28		k7952.01-113-11-r1l1152.01-113-11-RO
Smooth-Star Noise Reduction Doors	36	31	37	38	32	38	TL09-236   TL08-739
Smooth-Star Noise Reduction Doors with 1/2" Standard Glass	30	28		30	28		H6980.01-113-11-RO
Smooth-Star Noise Reduction Doors with 1" Standard Glass	34	29		36	29		I4812.02-113-11-RO
<b>7'0" Fiberglass</b>							
Fiber-Classic / Smooth-Star Glazed with 1/2" Standard Glass	27	25		27	26		I9171.01-113-11-RO
Fiber-Classic / Smooth-Star Glazed with 1" Standard Glass	27	24		27	25		I9171.01-113-11-RO
Fiber-Classic / Smooth-Star Foam Core Fire-Rated Door	23	24		24	25		J4862.01A
Smooth-Star Noise Reduction Doors with Noise Reduction Glass	35	31		38	33		I9170.01-113-11-RO
Smooth-Star Noise Reduction Doors with 1/2" Standard Glass	31	28		31	29		I9170.01-113-11-RO
Smooth-Star Noise Reduction Doors with 1" Standard Glass	32	28		35	28		I9170.01-113-11-RO
<b>8'0" Fiberglass</b>							
Fiber-Classic / Smooth-Star Opaque	25	23					ITS 3013634-001
Fiber-Classic / Smooth-Star Glazed	27	23					ITS 3013634-001
Fiber-Classic / Smooth-Star Glazed with 1" Standard Glass	29	25		30	26		I9173.01-113-11-RO
Fiber-Classic / Smooth-Star Flush-Glazed	28	25	30	30	26	31	E6298.01-113-11
Fiber-Classic / Smooth-Star Foam Core Fire-Rated Door	25	22		25	23		J4862.01B
Smooth-Star Noise Reduction Doors	36	31	37	38	32	38	TL09-240   TL09-241
Smooth-Star Noise Reduction Doors with 1/2" Standard Glass	30	27		32	28		I9172.01-113-11-RO
Smooth-Star Noise Reduction Doors with 1" Standard Glass	31	26		34	27		I9172.01-113-11-RO
<b>6'8" Steel</b>							
Traditions and Profiles Opaque	23	22					ITS 3013634-001
Traditions and Profiles Glazed	29						RAL TL83-183
<b>6'8" Impact Products</b>							
Classic Craft Opaque	25	24	29	25	24	29	74365.01-113-11
Fiber-Classic / Smooth-Star Opaque	25	24	29	25	24	29	74365.01-113-11
Fiber-Classic / Smooth-Star Glazed Clear Glass	25	26	29	26	28	30	74366.01-113-11
Fiber-Classic / Smooth-Star Glazed Clear Glass with BTS Lite Frame	27	28	31	28	29	32	E6297.01-113-11
Fiber-Classic / Smooth-Star Glazed Leaded Glass	26	26	30	28	28	32	74725.01-113-11
<b>8'0" Impact Products</b>							
Classic Craft Opaque	25	23	28	25	24	29	74385.01-113-11
Fiber-Classic / Smooth-Star Opaque	25	23	28	25	24	29	74385.01-113-11
Fiber-Classic / Smooth-Star Glazed Clear Glass	28	26	31	30	28	33	74384.01-113-11
Fiber-Classic / Smooth-Star Glazed 3/4-Lite Clear Glass	27	25	29	28	26	31	74723.01-113-11
Fiber-Classic / Smooth-Star Glazed Leaded Glass	27	25	30	28	27	31	74725.01-113-11
Fiber-Classic / Smooth-Star Glazed Clear Glass with BTS Lite Frame	30	28	32	30	29	33	E6298.02-113-11

Product Descriptions	STC	OITC	EWR	STC	OITC	EWR	Test Report
	System	System	System	Door	Door	Door	

<b>6'8" Patio</b>							
Fiber-Classic / Smooth-Star Hinged	26	24	28	27	25	30	74367.01-113-11

<b>8'0" Patio</b>							
Fiber-Classic / Smooth-Star Hinged	27	23					ITS 3013634-001

<b>Lites Only</b>							
22" x 64" Clear Laminate Lite with Aluminum Frame	38	31	38				TL08-647
22" x 64" Decorative Laminate Lite with Aluminum Frame	39	32	38				TL08-648
22" x 80" Clear Laminate Lite with Aluminum Frame	38	31	38				TL08-651
22" x 80" Decorative Laminate Lite with Aluminum Frame	38	31	38				TL08-652
22" x 64" Clear Laminate Lite with BTS Frame	38	31	37				TL08-646
22" x 64" GBG Laminate Lite with BTS Frame	38	31	38				TL08-649
22" x 80" Clear Laminate Lite with BTS Frame	38	31	37				TL08-650
22" x 80" GBG Laminate Lite with BTS Frame	38	31	38				TL08-653






## Finished for Lasting Beauty

Handcrafted and professionally applied in a controlled environment, a PrismaGuard® premium finish is built to last, giving your customers confidence and peace of mind.

- Designed for optimal performance with Therma-Tru® fiberglass doors, composite door frames and door surrounds.
- Features enhanced durability to protect from everyday wear and tear.
- Backed by a 3-year limited finish warranty.
- Enhances the overall beauty of the entry with a nature-inspired color palette of premium stains and paints.



## Tested to meet tough expectations.

PrismaGuard premium finish undergoes rigorous testing with specialized equipment to help ensure it delivers a consistent high-end appearance with a low-maintenance coating that preserves the door's color for years to come.



Durable Topcoat




Professional Application

## PrismaGuard® Premium Stain

Bring the authentic look of wood to life with rich tones that add dimension and are designed to enhance the wood grains of Therma-Tru® fiberglass doors, composite door frames and door surrounds.

Shown on Classic Craft, Fir Grain



- 1 It starts with the realistic wood grains and deep embossments of a Therma-Tru® door, composite door frame or door surround.
- 2 A base coat provides an even, consistent color across the surface of the door.
- 3 A wiping stain enhances the base coat while adding dimension to reflect the natural beauty of wood.
- 4 A durable topcoat enhances the high-definition color while protecting against scratches and color fading.
- 5 A second application of the topcoat provides added durability and optimal sheen for a high-end look.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See your Therma-Tru seller for details on the PrismaGuard limited warranty and exclusions.

# PrismaGuard® Premium Paint

Add a pop of color to Therma-Tru® doors, composite door frames and door surrounds, and tailor the look of the entry to make a beautiful lasting impression.



Finishing Options

- 1 It starts with the smooth or wood-grained surface of a Therma-Tru® door, composite door frame or door surround.
- 2 A base coat provides an even, consistent color across the surface.
- 3 A durable topcoat enhances the high-definition color while protecting against scratches and color fading.
- 4 A second application of the topcoat provides added durability and optimal sheen for a high-end look.

## SAME-DAY STAIN

Create the authentic look of real wood in just a few simple steps.

- Achieve professional-looking results with an easy-to-use, quick-drying formula.
- Colorfast stain resists fading, bleaching and yellowing to create a beautiful finish.
- Finish colors can be applied in a variety of shades to complement multiple home styles.
- Specially formulated for Therma-Tru® fiberglass composite door frames and door surrounds.

### All-Inclusive Kit

Contains everything needed to stain a Therma-Tru fiberglass double door system or a single door with two sidelites.\* Watch easy-to-follow instructions at [samedaystain.com](http://samedaystain.com).

For Therma-Tru fiberglass doors. For complete details on the Same-Day Stain and topcoat limited warranty, go to [samedaystain.com](http://samedaystain.com) or ask your seller for more details.



Shown on Classic Craft, Fir Grain



\*Actual coverage may vary based on product selected, application method and desired appearance. Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See your Therma-Tru seller for details on the Same-Day Stain limited warranty and exclusions.




**THERMA-TRU**  
DOORS

thermatru.com  
1-800-THERMA-TRU (843-7628)  
1750 Indian Wood Circle  
Maumee, OH 43537



Visit [thermatru.com](http://thermatru.com) to view our entire catalog.



## Trade Professionals Online

Go to one place to find everything Therma-Tru, from selling tools to training materials to technical information.

**Dealer – [thermatru.com/dealer](http://thermatru.com/dealer)**

**Builder – [thermatru.com/builder](http://thermatru.com/builder)**

**Remodeler – [thermatru.com/remodeler](http://thermatru.com/remodeler)**

**Architect – [thermatru.com/architect](http://thermatru.com/architect)**

For California Residents Only

**WARNING:** Cancer and Reproductive Harm - [www.P65warnings.ca.gov](http://www.P65warnings.ca.gov)

Solo para residentes de California

**ADVERTENCIA:** causantes de cáncer y de daños en el aparato reproductivo, [www.P65warnings.ca.gov](http://www.P65warnings.ca.gov)

Cover: Smooth-Star, Clear Glass, Door – S8000, Finish – Onyx  
Above: Traditions Door – TS210

©2022 Therma-Tru Corp. All rights reserved. THERMA-TRU and the Therma-Tru Logo are trademarks of Therma-Tru Corp. Registered trademarks are registered in the U.S. and may be registered internationally. Therma-Tru Corp. is an operating company of Fortune Brands Home & Security, Inc. ENERGY STAR is a government program that helps consumers protect the environment through superior energy efficiency and is a registered trademark of the U.S. Department of Energy and the U.S. Environmental Protection Agency. HOT 22030350 / APR 2022